22418

22223

3	Hours	/	70	Marks	Seat No.			

- Instructions (1) All Questions are Compulsory.
 - (2) Answer each next main Question on a new page.
 - (3) Illustrate your answers with neat sketches wherever necessary.
 - (4) Figures to the right indicate full marks.
 - (5) Assume suitable data, if necessary.
 - (6) Use of Non-programmable Electronic Pocket Calculator is permissible.
 - (7) Mobile Phone, Pager and any other Electronic Communication devices are not permissible in Examination Hall.

Marks

1. Attempt any <u>FIVE</u> of the following:

10

- a) State Fleming's Left Hand Rule.
- b) State Working Principle of DC Motor.
- c) Write Voltage Equation of DC Motor. State meaning of each term.
- d) State losses in transformer.
- e) A 3 kVA 220/110 V transformer has 500 turns on it's primary. Find its transformation Ratio and Secondary Turns.
- f) State any two applications of Single phase Auto-Transformer.
- g) Give Technical specification of Isolation Transformer.

2. Attempt any THREE of the following:

12

- a) Draw a neat sketch of construction of DC Machine and Label the following components.
 - i) Eye Bolt
 - ii) Yoke/Body
 - iii) Field Pole
 - iv) Field Winding
 - v) Pole Shoe
 - vi) Air Gap
 - vii) Armature winding
 - viii) Commutator and Brushes
- b) State types of DC motors and Draw a neat sketch of types of DC motor.
- c) The readings of direct loading test on a Single Phase Transformer are

Load	On primary side			On secondary side			
Condition	V_1	I ₁	\mathbf{W}_1	V ₂	I ₂	W_2	
No Load	220	0.7	40	102	0	0	
Full Load	220	4.45	960	98	8.8	862.4	

Find efficiency and Regulation at a given load condition.

d) Draw the equivalent circuit of transformer. State the meaning of each tern related to it.

			N	Aarks
3.		Attemp	pt any THREE of the following:	12
	a)	Derive	EMF equation of DC Generator.	
	b)	_	guish between core type and shell type transformer on the following points	ne
		i) F	igure	
		ii) W	Vinding	
		iii) W	Vindow	
		iv) li	mb	
		v) N	Mechanical Protection	
		vi) C	Cooling	
		vii) R	Repair	
		viii) M	Magnetic Circuit	
	c)	condition	VA , 230/110 V, 1- ϕ Transformer is operating at Full load on. Determine primary and secondary current I_1 , I_2 and ary turns N_2 ; if primary winding is having 80 Turns.	
	d)	Derive	EMF equation of Transformer.	
4.		Attemp	pt any THREE of the following:	12
	a)		be Bank of 3 - single phase transformer with neat d diagram. State its advantages and disadvantages.	
	b)	_	guish between power transformer and distribution rmer on the basis of -	
		i) U	Jse	
		ii) T	Sypical Voltage	
		iii) P	Power Rating	
		iv) L	oad	
		v) In	nsulation Level	
		vi) F	Tlux Density	
		vii) N	Maximum Efficiency	
		viii) T	Turns Ratio	

22418 [4]

Marks

- c) Explain need of parallel operation of 3-φ transformer. Also state condition of parallel operation.
- d) A 100 kVA transformer has iron loss of 2 kW and full load Copper loss 1 kW. Calculate the efficiency of transformer at
 - i) F. L. Unity P.F.
 - ii) H. L. Unity P.F.
- e) Explain with circuit diagram use of C.T. to measure high value current in a line.

5. Attempt any <u>TWO</u> of the following:

12

- a) A 230 V DC shunt motor has field resistance of 230Ω and Armature resistance of 0.25Ω , running at 1500 RPM taking 20A from supply. Calculate Back emf in armature of motor.
- b) List the selection Criteria for distribution transformer as per IS10028: Part I: 1985
- c) Find the all-Day efficiency of 500 kVA distribution transformer whose Cu-losses and Iron loss at full load are 4.5 kW and 3.5 kW resp. During a day of 24 Hrs. it is loaded as under

No. of Hours	Loading (kW)	Power factor		
06	400	0.8		
10	300	0.75		
04	100	0.8		
04	0	- 0 -		

6. Attempt any TWO of the following:

12

- a) Explain with the help of neat sketch "Brake test of DC shunt motor." State its advantages and disadvantages.
- b) Draw a neat labelled diagram of construction of 3-φ amorphous transformer. State material and function of each part.
- c) Explain K-Factor transformers. State its significance. Also write effect due to harmonics and overheating due to non-linear load.